

03 LOCKING ACCESSORIES

Pages

Single Point Cams	2
Three Point Cams For Eyelet Rods	2
Eyelet Locking Rods & Pins	3
Three Point Locking Kit	4
Spring Loaded Snib Slam Catches	5
Three Point Cams For Roller Rods	6
Adaptors For Roller Rods	6
Roller Rods	7
Guides To Hold Rods In Position On Door	8
NEW Spring Loaded Two Point 10mm Rod Latch Kit	9
Rotary (Burst) Latches	10
Extension For M10 8mm Square Shafts	11
Internal Clutched Handle To Fit 8mm Square Shafts	11
Flat Rod Setup	12

03 LOCKING ACCESSORIES



LOCKING ACCESSORIES


SINGLE POINT CAMS FOR 8mm SHAFT ZINC ALLOY



1000-1585

1000-1584

1000-1586




- Suits 8mm square shaft
- Adjustable cam height ("grip")
- Grub screw fastening
- Zinc

Code	CL (mm)	Material
1000-1585	45	Zinc
1000-1584	68	Zinc / Chrome
1000-1586	68	Zinc

THREE POINT CAMS FOR 8mm SHAFT SUIT EYELET RODS STEEL

- Suits 8mm square shaft
- Adjustable cam height ("grip")
- Suits eyelet rods
- Solid boss
- Grub screw fastening
- Zinc or 304 stainless steel



Code	CL (mm)	Material
1000-1588	60	Steel / Zinc
MS1000-1588	60	Steel / Zinc
1000-1588-SS	60	304 S/Steel



1000-1588




MS1000-1588

LOCKING ACCESSORIES

EYELET RODS

STEEL & STAINLESS STEEL

- 8mm diameter rods
- Suit 1000-1588 cams
- Many different lengths available
- Mild Steel / Zinc or 304 Stainless Steel
- Suitable for use with three point cams & Folding T Handles



Code	Length (mm)	Material
ROD312E	312	Steel / Zinc
ROD350E	350	Steel / Zinc
ROD400E	400	Steel / Zinc
ROD600E	600	Steel / Zinc
ROD700E	700	Steel / Zinc
ROD800E	800	Steel / Zinc
ROD900E	900	Steel / Zinc
ROD1000E	1000	Steel / Zinc
ROD1100E	1100	Steel / Zinc
ROD1200E	1200	Steel / Zinc
ROD1300E	1300	Steel / Zinc

ROD800ESS	800	304 S/Steel
ROD1000ESS	1000	304 S/Steel
ROD1200ESS	1200	304 S/Steel

10502-PIN	Pin & clip to secure eyelet rods
-----------	----------------------------------



10502-PIN



LOCKING ACCESSORIES

THREE POINT CAM AND ROD KIT

FOR 8mm SHAFT

STEEL

- 1000-1588 cam + ROD1200E rods pre-assembled
- Suits 8mm square shaft on swing handles, L- and T-handles
- Adjustable H-Dimension
- Solid boss with grub screw fastening
- Suits doors up to 2400mm high (cut rods to required length)
- Steel / Zinc



Code	Description	Material / Finish
1000-1589-1200E	3 point locking kit	Steel / Zinc

LOCKING ACCESSORIES

SPRING LOADED SLAM LATCH STEEL


- Spring loaded slam latches
- Use rods or cables to retract the slam snib
- Fabricate a strike plate (e.g. angle or flat bar) for the slam snib to latch behind when door closed
- Slam function makes doors easier to use than doors with locking rods only:
 - When using rods only the handle has to be rotated to unlock position to close the door, otherwise rods will hit the door jam and damage cladding (e.g. ACM).
 - With spring loaded slam latches the door can be closed regardless of handle state (locked / unlocked).
- Steel zinc



229-9001
229-9001-0523



229-9001-0523-C




Code	Description	Material / Finish
229-9001	Spring loaded slam latch	Steel / Zinc
229-9001-0523	Spring loaded slam latch	Steel / Zinc
229-9001-0523-C	Spring loaded slam latch with curved tail	Steel / Zinc

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK
NEW ZEALAND LTD


THREE POINT CAMS FOR 8mm SHAFT FOR ROLLER TIP RODS STEEL & STAINLESS STEEL

-




Code	Description	Material / Finish
1000-1587	3 point cam with rod adaptors	Steel / Zinc
1000-1587-SS	3 point cam with rod adaptors	304 S/Steel



- For 8mm diameter rods
- Grub screw fastening
- Zinc or 304 stainless steel



Code	Description	Material / Finish
RODADAPT	Rod adaptor	Steel / Zinc
RODADAPT-SS	Rod adaptor	304 S/Steel



- For 8mm diameter rods
- Zinc alloy body
- Polyamide Roller



Code	Description	Material
RG007	Roller End	Zinc / Polyamide


LOCKING ACCESSORIES

DOUBLE ROLLER TIP RODS

STEEL & STAINLESS STEEL

- 8mm diameter rod
- Various lengths available
- Zinc or 304 stainless steel


Code	Length	Material / Finish
ROD400R	400mm	Steel / Zinc
ROD600R	600mm	Steel / Zinc
ROD700R	700mm	Steel / Zinc
ROD800R	800mm	Steel / Zinc
ROD850R	850mm	Steel / Zinc
ROD900R	900mm	Steel / Zinc
ROD1000R	1000mm	Steel / Zinc
ROD1100R	1100mm	Steel / Zinc
ROD1200R	1200mm	Steel / Zinc
ROD600RSS	600mm	304 S/Steel
ROD700RSS	700mm	304 S/Steel
ROD800RSS	800mm	304 S/Steel
ROD900RSS	900mm	304 S/Steel
ROD1000RSS	1000mm	304 S/Steel
ROD1100RSS	1100mm	304 S/Steel
ROD1200RSS	1200mm	304 S/Steel



SINGLE ROLLER TIP ROD STEEL

- 8mm diameter rod
- Single roller
- Zinc

Code	Length	Material
ROD251.5EE	251mm	Steel / Zinc



Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.


SELECTLOK
NEW ZEALAND LTD

LOCKING ACCESSORIES

ROD GUIDE

CLIP THROUGH PANEL

- Clip through up to 3mm thick panel
- Suits up to 3mm panel and 8mm Dia rod
- Nylon





Code	Description
RG008	Through Panel Rod Guide

ROD GUIDE

SURFACE MOUNT SCREW ON

- Require M6 weld stud on inside of door for mounting
- Rod guide / standoff for 8mm round rod
- Polyamide
- We stock M6 threaded weld studs in steel, aluminium and 304 S/steel to suit door material



Code	H1 Rod Latching Offset to Mounting Surface (mm)	H3 Overall Height (mm)	H2 (L) Weld Stud Screw Length (mm)
RG020	20	32	16
200-3601	20	32	16
RG024	24	36	25
RG026	26	38	25
200-3625.51	26	38	20
200-3611.06-07001	28	40	25


F-WS-M6xXX-### M6 Weld stud. Add Screw length required: XX(mm).
Add code suffix ##: CC=Copper Coated Steel, SS=304S/steel, ALI=Aluminium

LOCKING ACCESSORIES


SPRING LOADED 9.5mm ROD LATCH KIT STEEL

- 9.5mm Dia Rods
- Suits 8mm square shaft on swing handles, L- and T-handles
- Length in latched position: 2075mm, Length in unlatched position: 2030mm (22mm rod travel per side)
- Steel / Zinc

Front Profile



End Profile




Code	Description	Material / Finish
80016	Two Point Spring Loaded Rod Latch Kit - 9.5mm Dia Rods	Steel / Zinc

LOCKING ACCESSORIES

ROTARY (BURST) LATCHES

- Can be actuated by cables, rods, or motorised device (e.g. solenoid, actuator)
- Two stage action
- 2x 6.50mm mounting holes
- Strike bolt upon request
- Two-stage action
- Zinc plated steel, interlube internal parts
- Many different models available with different arm configurations, cable attachments, etc



BURST401EL

BURST401ER




BURST404ER

Code	Description	Actuation
BURST401EL*	Burst latch - left actuator	Pull lever towards latch
BURST401ER*	Burst latch - right actuator	Pull lever towards latch
BURST404ER*	Burst latch - top actuator	Pull lever away from latch

*Special order product

ELECTRONIC ROTARY (BURST) LATCHES

- See Section 19: 4-5 for electronic rotary latch options



RL-G-20S-HD



RL-G-20S-HD-IP67




RL-G-3-HD-IP67

LOCKING ACCESSORIES

SHAFT EXTENSION

FOR M10 8mm SQUARE SHAFT

- Extension for M10 threaded 8mm square shafts
- Grub screw secures shaft extension onto another M10 threaded 8mm square shaft
- Suits swing handles
- Steel / Zinc





Code	Description
PI5270	8mm Square threaded shaft extension

EMERGENCY HANDLE

THREE POINT CAM & INTERNAL HANDLE

LOCK OVERRIDE CLUTCH MECHANISM

- Single or three point locking compatible
- Push button clutch disengages square shaft and enables three point unlocking from inside door
- Suits 8mm square shaft: L- and T-handles
- Very heavy duty construction
- Steel / Zinc




Code	Description
P2535	Lock override handle & 3 Point Locking Cam with Clutch Mechanism

LOCKING ACCESSORIES

FLAT ROD SETUP

Use with Dirak Swing Handles, T-Handles, L-Handles, or Insert Drive type plates



Code	Description	Door Height
208-9101	Flat Rod Control. L/H or R/H Doors	800 - 1200mm
208-9802	Flat Rod Control. L/H or R/H Doors	1900 - 2200mm



Special order product - Contact us for flat rod handle options and roller catch options