05 SWING HANDLES		Pages
NEW	Oval Swing Handles	2-3
	Eselon Series Economy Key Locking Swing Handles	4
	Eselon Series Half Euro Profile Cylinder Swing Handles	5
	Eselon Series Padlockable Swing Handles	6 - 8
	Millenium Series Non-Locking Swing Handle	9
	Millenium Series Economy Key Locking Swing Handles	10
	Millenium Series Half Euro Profile Cylinder Swing Handles	11
	Millenium Series Padlockable Swing Handles	12
	A-Series Padlockable Swing Handles	13 - 14
NEW	Dirak Half Euro Profile Swing Handles	15 - 17
	316 Stainless Steel Half Euro Profile + Padlockable Swing Handles	18
NEW	Electronic Swing Handles & iLOQ Cylinder Compatible Handles	19
	High Security Key Locking Spring Loaded Small Swing Handles	20
	Mini Slim Plastic Swing Handle	21
	Small Padlockable Swing Handles	22 - 23
	Small Non-Locking Plastic Swing Handle	24
	Recessed Mounting Dish For Swing Handles	25
	40mm Half Euro Profile Cylinders	26

05 SWING HANDLES

SWING HANDLES

NEW OVAL SERIES HANDLES
ZINC ALLOY & 316 STAINLESS STEEL

FEATURES:

- New swing handle design with multi-fit oval hole
- One handle can fit different inserts so can be changed from padlockable / key locking / half euro profile cylinder.





Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

NEW OVAL SERIES HANDLES
ZINC ALLOY & 316 STAINLESS STEEL



FEATURES:

- New swing handle design with multi-fit oval hole
- One handle can fit different inserts so can be changed from padlockable / key locking / half euro profile cylinder.

1107E-PAD-CC
Padlockable
(preassembled)

1107E-CL001-CC
Key Locking
(preassembled)

1107E-40-CC
To suit Half Euro
Profile Cylinder

1107E-45-316
To suit Half Euro
Profile Cylinder

Code	Material / Finish	Lock Type
1107E-PAD-CC	Zinc Alloy / Chrome	Padlockable
1107E-CL001-CC	Zinc Alloy / Chrome	CL001 Key Locking
1107E-CL001-BB	Zinc Alloy / Black	CL001 Key Locking
1107E-CL003-CC	Zinc Alloy / Chrome	CL003 Key Locking
1107E-FS880-CC	Zinc Alloy / Chrome	FS880 Key Locking
1107E-144-CC *	Zinc Alloy / Chrome	144 Key Locking
1107E-40-CC	Zinc Alloy / Chrome	40mm Half Euro Cylinder
1107E-PAD-316	316 Stainless Steel / Brushed	Padlockable
1107E-CL001-316	316 Stainless Steel / Brushed	CL001 Key Locking
1107E-45-316	316 Stainless Steel / Brushed	45mm Half Euro Cylinder

***Special Order - Rekey Required, Half Euro Profile cylinders available separately - see Section 5:26**

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

ESELON SERIES
ECONOMY BARREL
ZINC



FEATURES:
- Vandal resistant
- Park position with “click”
- Sleek, modern design
- IP65 rated
- Available in many key combinations
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Zinc die Handle & Base
- Zinc plated mild steel shaft

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle





MAXIMUM OPENING

Code	Base Finish	Handle Finish
1107SBBU3N-##	Black EDP coated	Black EDP coated
1107SBCU3N-##	Black EDP Coated	Chrome plated
1107SCCU3N-##	Chrome Plated	Chrome plated

“-##”	Key Options
-01	CL001
-02	92268
-03	604
-07	CL003
-11	144
-20	FS880

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

ESELON SERIES

HALF EURO PROFILE CYLINDER

ZINC



FEATURES:

- Higher security key options available
- Vandal resistant
- Park position with “click”
- Sleek, modern design
- Suits 40mm half euro profile cylinders
- IP65 rated
- 90° left & right stopper

SHAFT:

- 8mm square shaft, 60mm long

MATERIAL & FINISH

- Zinc die Handle & Base
- Zinc plated mild steel shaft

CAM ACCESSORY OPTIONS:

- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle





MAXIMUM OPENING

Code	Base Finish	Handle Finish
1107SBBU3N	Black EDP coated	Black EDP coated
1107SBCU3N	Black EDP coated	Chrome plated
1107SCCU3N	Chrome plated	Chrome plated

See Section 5: 26 for 40mm half euro profile cylinder options

SWING HANDLES

ESELON SERIES
PADLOCKABLE RETROFIT
ZINC



FEATURES:
- Retrofits into key lock cut-out
- Vandal resistant
- Semi flush
- Park position with “click”
- IP65 rated
- Suits padlock up to 10mm
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Zinc die Handle & base
- Zinc plated mild steel shaft
- Hardend Forged steel, chrome plated Hasp

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle



Code	Base Finish	Handle Finish
1107SCCU3N-PAD	Chrome plated	Chrome plated

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

ESELON SERIES
PADLOCKABLE
ZINC



FEATURES:
- Vandal resistant
- Suits padlock up to 13mm
- Park position with “click”
- Sleek, modern design
- IP65 rated
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

- **MATERIAL & FINISH**
- Zinc die Handle & base
- Zinc plated mild steel shaft
- Hardend Forged steel, chrome plated Hasp

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle





Code	Base Finish	Handle Finish
1107SBB04N	Black EDP coated	Black EDP coated
1107SBC04N	Black EDP coated	Chrome plated
1107SCC04N	Chrome plated	Chrome plated

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

ESELON SERIES
PADLOCKABLE
STAINLESS STEEL



FEATURES:
- Vandal resistant
- Suits padlock up to 13 mm
- Park position with “click”
- Semi flush
- IP65 rating
- 90^{0} left & right stopper
- Handle & Base Stainless steel cast alloy CF-8M (equivalent to wrought stainless steel AISI 316)

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Shaft Stainless steel 316
- Hasp Stainless steel 316

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- 1000-1587-SS - 3 point with adapters
- 1000-1588-SS - 3 point without adapters
- P2535 - Emergency internal handle





MAXIMUM OPENING

Code	Base Finish	Handle Finish
1107SSS04N	Polished	Polished

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

MILLENIUM SERIES
NON-LOCKING
ZINC



FEATURES:
- Semi flush
- Park position with “click”
- IP65 rated
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Zinc die Handle & Base
- Mild steel, Zinc plated shaft

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle





Code	Base Finish	Handle Finish
1107SCC14	Chrome plated	Chrome plated

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

MILLENIUM SERIES
ECONOMY BARREL CYLINDER
STAINLESS STEEL



FEATURES:
- With lock dust cover
- Vandal resistant
- Park position with “click”
- Semi flush
- IP65 rating
- Available in many key combinations
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Stainless steel cast alloy CF-8M Handle and Base. (equivalent to wrought stainless steel AISI 316)
- 316 stainless steel shaft

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- 1000-1587-SS 3 point with adapters
- 1000-1588-SS 3 point without adapters
- P2535 Emergency internal handle





Code	Base Finish	Handle Finish	Key Number
1107SSSU3-01D	Polished	Polished	CL001
1107SSSU3-02D	Polished	Polished	92268



Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

MILLENIUM SERIES
HIGH SECURITY
HALF EURO PROFILE CYLINDER
STAINLESS STEEL



FEATURES:
- Vandal resistant
- Park position with “click”
- Semi flush
- IP65 rated
- Suits 45mm half euro profile cylinders
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Stainless steel cast alloy CF-8M Handle & Base (equivalent to wrought stainless steel AISI 316)
- 316 Stainless steel

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- 1000-1587-SS - 3 point with adapters
- 1000-1588-SS - 3 point without adapters
- P2535 - Emergency internal handle
- 45mm Euro Profile Cylinder





Code	Base Finish	Handle Finish
1107SSSU3-45	Polished	Polished

See Section 5: 26 for 40mm half euro profile cylinder options



Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

MILLENIUM SERIES
HIGH DUTY PADLOCKABLE
ZINC



FEATURES:
- Vandal resistant
- Park position with “click”
- Semi flush
- IP65 rated
- 13mm hasp-new cut-resistant material
- Suits padlock up to 13mm
- 90° left & right stopper

SHAFT:
- 8mm square shaft, 60mm long

MATERIAL & FINISH
- Zinc die Handle 7 Base
- Zinc plated Mild steel shaft
- Stainless steel hasp

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle



Code	Base Finish	Handle Finish
1107-BBCH-W	Black EDP coated	Chrome plated

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

A SERIES
PADLOCKABLE
ZINC & STAINLESS STEEL



FEATURES:
- Vandal resistant
- Semi flush
- IP65 rated
- Suits padlock up to 12mm

SHAFT:
- 8mm square shaft, 80mm long

MATERIAL & FINISH
- Zinc Black, Chrome or 316 Stainless steel

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- 1000-1587-SS - 3 point with adapters
- 1000-1588-SS - 3 point without adapters
- P2535 - Emergency internal handle





Code	Material	Base Finish	Handle Finish
1107-A2140-BB*	Zinc	Black EDP coated	Black EDP coated
1107-A2140-BC*	Zinc	Black EDP coated	Chrome plated
1107-A2140-CC	Zinc	Chrome plated	Chrome plated
1107-A2140-316	316 S/steel	Polished	Polished

*Special order product

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

A SERIES
PADLOCKABLE
ZINC & STAINLESS STEEL



FEATURES:
- Vandal resistant
- Semi flush
- IP65 rated
- Suits padlock up to 12mm

SHAFT:
- 8mm square shaft, 80mm long

MATERIAL & FINISH
- Zinc Black, Chrome or 316 Stainless steel

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- 1000-1587-SS - 3 point with adapters
- 1000-1588-SS - 3 point without adapters
- P2535 - Emergency internal handle



Code	Material	Base Finish	Handle Finish
1107-A2150-BB*	Zinc	Black EDP coated	Black EDP coated
1107-A2150-BC	Zinc	Black EDP coated	Chrome plated
1107-A2150-CC	Zinc	Chrome plated	Chrome plated
1107-A2150-316	316 S/steel	Brushed	Brushed

* Special order product

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

DIRAK (GERMANY)
HALF EURO PROFILE
POLYAMIDE



FEATURES:
- Higher security key options available
- Park position with “click”
- Sleek, modern design
- Suits 40mm half euro profile cylinders
- IP65 rated
- 90° left & right stopper

MATERIAL & FINISH
- Polyamide Handle & Base

CAM ACCESSORY OPTIONS:
- Single point cams - see Section 10: 22
- 3 point cams - see Section 10: 23

Code	Base Finish	Handle Finish
207-9282	Black	Black

See Section 5: 26 for 40mm half euro profile cylinder options

Photo showing 211-9106-#### profile cylinder in handle and 200-0426 cam (not included)

Selectlok NZ are exclusive New Zealand distributors for Dirak (Germany). Dirak offer an extensive range of high quality product; visit **www.dirak.com** for the full range and all design / CAD specifications available.

SWING HANDLES

DIRAK (GERMANY)
HALF EURO PROFILE
POLYAMIDE & ZINC



FEATURES:
- Higher security key options available
- Park position with “click”
- Sleek, modern design
- Suits 40-45mm half euro profile cylinders
- IP65 rated
- 90° left & right stopper

MATERIAL & FINISH
- Polyamide base with zinc black handle

CAM ACCESSORY OPTIONS:
- Single point cams - see Section 10: 22
- 3 point cams - see Section 10: 23

Code	Base Finish	Handle Finish
107-9228	Black	Black

See Section 5: 26 for 40mm half euro profile cylinder options

Photo showing 211-9106-#### 40mm half euro profile cylinder in handle and 200-0426 cam (not included). Cylinder recessed 5mm for added security.

Selectlok NZ are exclusive New Zealand distributors for Dirak (Germany). Dirak offer an extensive range of high quality product; visit **www.dirak.com** for the full range and all design / CAD specifications available.

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES
HALF EURO PROFILE
ZINC BLACK





FEATURES:
- Higher security key options available
- Park position with “click”
- Sleek, modern design
- Suits 40mm half euro profile cylinders
- IP65 rated
- 90° left & right stopper

MATERIAL & FINISH
- Zinc alloy, Black powder coat

CAM ACCESSORY OPTIONS:
- Single point cams - see Section 10: 22
- 3 point cams - see Section 10: 23

Code	Description	Material / Finish
M-501-12-12-00-00	Suits 40mm Half Euro Profile	Zinc / Black

See Section 5: 26 for 40mm half euro profile cylinder options

Photo showing 211-9101-CL001 40mm half euro profile cylinder in handle and 200-0430 cam (not included).

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

KEY BARREL OR HALF EURO PROFILE & PADLOCKABLE STAINLESS STEEL





FEATURES:

- Higher security key options available
- Park position with “click”
- Sleek, modern design
- Suits 40mm half euro profile cylinders
- IP65 rated
- 90° left & right stopper

MATERIAL & FINISH

- 316 Stainless steel
- Brass Profile Cylinder (M-401-11-00 only)

CAM ACCESSORY OPTIONS:

- Single point cams - see Section 10: 22
- 3 point cams - see Section 10: 23

M-401-11-00-1

M-401-00-00-1





Code	Description	Material / Finish
M-401-11-00-1	Keyed Alike + Padlockable	316SS / Brushed
M-401-00-00-1	No Cylinder + Padlockable	316SS / Brushed



See Section 5: 26 for 40mm half euro profile cylinder options

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

ELECTRONIC LOCKING SOLENOID

- 12V / 24V / 48V DC Electronic (solenoid) release, or by profile cylinder key
- Suit door panels up to 3mm thick • Suits standard cam and round rod latching
- IP65 rated • -30ºC to 80ºC Operating temperature • LED Light Indicator

602-9003 Solenoid Swing handle



Variety of new cut-out sizes



Retrofit traditional cut-out

Contact Selectlok NZ for more information

SWINGHANDLES TO SUIT iLOQ CYLINDER

- Variety of handles to suit iLOQ electronic locking cylinders
- Mobile phone access control • Ultra high electronic security
- Options for standard cam and round rods, or rod latch systems
- Retrofit option for standard 25Wx50H+50H cut-out

207-9146
iLOQ Swing handle

207-9141
iLOQ Swing handle

207-9145
iLOQ Swing handle

Contact Selectlok NZ for more information



Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

HIGH SECURITY KEY
SPRING LOADED HANDLE
ZINC



Cut out

FEATURES:
- High security key
- Suit standard cam attachment
- Convenient spring loaded handle
- 90° Handle turn can swap left or right
- Easy to use push button
- Semi flush
- IP65 rated

MATERIAL & FINISH
- Zinc alloy black





Code	Description	Material / Finish	Barrel Length (GH)	Cam Height (H)
MS819-1	Keyed Alike	Zinc / Black	19	26
MS819-1-KD	Keyed to Differ	Zinc / Black	19	26

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

MINI SLIM
ECONOMY BARREL
PLASTIC / ZINC

- Compact size: 110mm x 35mm
- Suitable for smaller doors
- Simple rectangular cut out
- Low profile - only 12mm protrusion
- IP65 rated
- Polymide base and zinc black handle
- Use with single point or three point cams



Cut out







Code	Key Code	Finish
M-308-12-2-05-36	1333	Black

Single point cams - see Section 10: 22

SWING HANDLES

MINI PADLOCKABLE

ZINC

FEATURES:
- Vandal resistant
- IP65 rated
- Semi flush
- Suits padlock up to 13mm
- 13mm hasp-new cut-resistant material

SHAFT:
- 8mm square shaft, 68mm long

MATERIAL & FINISH
- Zinc die handle & base
- Zinc plated mild steel shaft
- Chrome plated hasp hardened forged steel

CAM ACCESSORY OPTIONS:
- 1000-1586 - Single point
- 1000-1587 - 3 point with adapters
- 1000-1588 - 3 point without adapters
- P2535 - Emergency internal handle





MAXIMUM OPENING

Code	Base Finish	Handle Finish
1107MBB04	Black EDP coated	Black EDP coated
1107MCC04	Chrome plated	Chrome plated

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES

MINI PADLOCKABLE
ADJUSTABLE CAM
ZINC



FEATURES:

- Padlockable mini swing handle / wing handle
- M10 threaded shaft to fit adjustable single point or 3 point locking cams
- Retrofit quarter turn cut-out
- Very compact, beautiful, practical design
- Easy assembly
- Fast easy change from left to right handed



M-662-2
Adjustable cam height



Change from left hand to right hand rotation by pulling the spring loaded handle and rotating past stop pin:



Code	Description	Material / Finish
M-662-44-001	Padlockable, adjustable cam height	Zinc / Black

Supplied with 33mm long flat cam See Section 3: 2 for other cam options

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

MINI NON-LOCKING POLYAMIDE

FEATURES:
- Easy assembly
- No corrosion
- Economically priced
- Sleek, modern design

DIMENSIONS:
- 87mm High x 36mm Wide

MATERIAL & FINISH
- Polyamide body and handle
- Zinc plated cam



Code	Handedness	Finish
M-072-1-36-001	Right hand	Black
M-072-1-36-002	Left Hand	Black

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

SWING HANDLES
RECESSED DISHES
STAINLESS STEEL

FEATURES:

- IP65 rated
- Semi-flush
- Easy cutout
- Stainless steel dish





Code	Description
P2579-650-15	Half (10mm) deep recess dish
P2579-650-16	Full (20mm) deep recess dish
P2579-650-17	Foam gasket for recess dish

Showing P2579-16
+ 1107SCCU3 swing handle
+ 211-9106-#### profile cylinder

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SWING HANDLES

40mm HALF EURO PROFILE CYLINDERS

- Blanks, insert drive type, standard key & high security key options
- Suit any half euro profile cylinder handle
- Zinc alloy / chrome plated
- Master keyed high security options
- Slam shut or rotating cam options

211-9206

211-9106-M602##

211-9101-CL001

211-9002

Code	Key Number
211-9201	Blank (none)
Insert (Drive) Type:	
211-9203	7mm Square
211-9204	8mm Square
211-9206	7mm Triangle
211-9207	8mm Triangle
211-9208	3mm Double Bit
211-9209	5mm Double Bit
211-9212	2x4 Slot
Standard Key:	
211-9001	Keyed to Differ
211-9002	DIN 18252
211-9101-144	144 Key
211-9101-92268	92268 Key
211-9101-CL001	CL001 Key
211-9102	1333 Key
High Security Key:	
211-9002	BC5014 Key (Abus)

Code	Key Number
High Security Tubular Key:	
211-9106-60201	M60201
211-9106-60202	M60202
211-9106-60203	M60203
211-9106-60204	M60204
211-9106-60205	M60205
211-9106-60206	M60206
211-9106-60207	M60207
211-9106-60208	M60208
211-9106-60209	M60209
211-9106-60210	M60210
211-9106-60211	M60211
211-9106-60212	M60212
211-9106-60213	M60213
211-9106-60214	M60214
211-9106-60215	M60215
211-9106-60216	M60216
211-9106-60217	M60217
211-9106-60218	M60218
211-9106-60219	M60219
211-9106-60220	M60220
211-9106-MASTER-F	All

Showing 211-9106-#### profile cylinder in 207-9282 handle (not included)

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.