21	MARINE PRODUCTS	Pages
	316SS Flush Pull Ring Latches	2 - 3
	316SS Mini High Security Tubular Key Quarter Turn	3
	316SS Over Centre Hasp & Staple Latch	3
	316SS Pull / Grab Handles	4
	316SS Flush Folding T Handle Latch	4
	316SS Quarter Turn Cylinder Lock	5
	316SS Quarter Turn Wing Handle: Non-Locking, Locking & Padlockable	5
NEW	Marine Edge Protection Rubber	6
	316SS Folding Table / Seat Bracket	6
	316SS L & T Handles: Non-Locking, Locking & Padlockable	7
	316SS Compartment Latch	8
	316SS Hinges: Flush Deck, Pintle, Lift Off, Butt	8 - 11
	Stainless Steel Drawer Slides	11
	Earth & Neutral Bars	11
NEW	316SS Gas Struts & Accessories	12
NEW	Jump Solar Lithium Battery Jump Start Kits	13
	316SS Hook, Eye & Caribiner, Slide (Tower) Bolt & Slam Latch	14
	316SS Door Hold Back & Hatch / Cover Stay	15

21 MARINE PRODUCTS

MARINE PRODUCTS

FLUSH PULL RING SLAM LATCHES
SPRING LOADED CAM
316 STAINLESS STEEL

- See Section 6: 2



Code	Type	Front Face	Overall Height	Min Panel Thick (mm)	Max Panel Thick (mm)	Cam H-Dimension	Mounting Type
DX316-M1	Locking	61Dia x 3H	38	12	20	25	4x M5
DX316-M1-NL	Non-Locking	61Dia x 3H	38	12	20	25	4x M5

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

FLUSH PULL RING LATCHES
ADJUSTABLE CAM HEIGHT
316 STAINLESS STEEL

- See Section 6: 3

Code	Front Face	Min Panel Thick (mm)	Max Panel Thick (mm)	Cam H-Dimension
DX316-M1-CAM	64Dia x 3H	6	50	22-68

MINI INSERT (DRIVE) QUARTER TURN
HIGH SECURITY TUBULAR KEY
316 STAINLESS STEEL

- See Section 10: 28

Code	Insert (Drive / Key Type)	Cam H Dimension	Matching Key Code
M-140-4-0-93-09	Tubular	3.2 - 6.4mm	M-469.1.1

OVER CENTRE HASP & STAPLE LATCH
PADLOCAKABLE
316 STAINLESS STEEL



Latched closed

Open

- See Section 14: 2

Code	Overall (mm)	Padlock Hole (mm)
DX316-HS-111	111L x 50W x 28H	6.3

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

MARINE PRODUCTS

PULL / GRAB HANDLES
316 STAINLESS STEEL

- See Section 4: 6

DX316-H-119X15

DX316-H-196X25

Code	Overall (mm)	Finger Gap (mm)	Mounting Type
DX316-H-119X15	119L x 26H x 15W	21	2x 6G CSK Screw
DX316-H-196X25	196L x 37H x 25W	27	2x 10G CSK Screw

FOLDING T HANDLE
COMFORT SERIES LATCH
NON-LOCKING
316 STAINLESS STEEL

- See Section 7: 10

Code	Key Number	Mounting Method
10502SS-316	Non-locking	Holes

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

QUARTER TURN CYLINDER LOCK
KEY LOCKING
316 STAINLESS STEEL

- See Section 10: 3

Code	Material / Colour	Key Type / Number
200-9232	316 Stainless Steel	DIRAK 1333
200-9233	316 Stainless Steel	Mixed Key

Cam Code
Advise your H-Dimension and we will specify appropriate cam to suit.

QUARTER TURN WING HANDLE
KEY LOCKING & NON LOCKING
316 STAINLESS STEEL

- See Section 10: 7

Code	Material / Colour	Key Number	Cam Included?, Cam H-Dimension
M-065-4-0-00-36	316 Stainless Steel	Non Locking	Yes, 26mm
M-065-4-0-07-36	316 Stainless Steel	CH751	Yes, 26mm
M-065-4-0-144-36	316 Stainless Steel	144	Yes, 26mm
M-065-4-0-CL001-36	316 Stainless Steel	CL001	Yes, 26mm
M-065-4-0-CL003-36	316 Stainless Steel	CL003	Yes, 26mm

QUARTER TURN WING KNOB
PADLOCKABLE
316 STAINLESS STEEL

- See Section 10: 9

Code	Material/Finish	Handedness	Cam H-Dimension
200-9375	316 Stainless Steel	Universal	Specify to suit

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

MARINE PRODUCTS

EDGE PROTECTION RUBBER ALUMINIUM CAGE

- See Section 12: 6

- Suitable for marine applications
- Internal aluminium cage (no rust)
- 14mm High • Black or White

Code	Colour	Material	Grip Range	Order Qty
1011-M3-WH	White	EPDM	1.0-3.0mm	Per m, or 50m Roll
1011-M3-BLK	Black	EPDM	1.0-3.0mm	Per m, or 50m Roll
1011-M5-WH	White	EPDM	3.0-5.0mm	Per m, or 50m Roll
1011-M5-BLK	Black	EPDM	3.0-5.0mm	Per m, or 50m Roll

FOLDING TABLE / SEAT BRACKET 316 STAINLESS STEEL

- See Section 1: 53



Folded down to vertical

Opening



Open and locked in horizontal position

Unlocking lever

Showing inside

Code	Wall plate (mm)	Table Plate (mm)	Mounting Type
DX316-TB	160H x 24W	300 L x 24W	6x 12G / M5 Screws

MARINE PRODUCTS

L HANDLES
316 STAINLESS STEEL

- See Section 10: 10

Code	Material / Colour	Key Number	Cam Included?, Cam H Dimension
200-9485	316 Stainless Steel	1333	No, Contact Us
200-9481	316 Stainless Steel	Padlockable	No, Contact Us

T HANDLES
316 STAINLESS STEEL

- See Section 10: 11

Code	Material / Colour	Key Number	Cam Included?, Cam H Dimension
200-9374	316 Stainless Steel	Non Locking	No, Contact Us
200-9398	316 Stainless Steel	1333	No, Contact Us

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

COMPARTMENT LATCH
316 STAINLESS STEEL

- See Section 13:3



Code	Description	Material	Dimensions	Fixing method
94042-316	Compartment latch	316 S/Steel	50Dia x 19H	4xM4 CSK Holes

FLUSH DECK HINGE
DOUBLE PIVOT (180 DEG)
316 STAINLESS STEEL

- See Section 11:15

Code	Open Width (mm)	Height (mm)	Thickness (mm)	Holes
DX316-DH	80	30	3	M4 CSK

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

BLOCK / PINTLE HINGE
LIFT-OFF
316 STAINLESS STEEL

- See Section 11: 9-10

Code	Material / Finish	Height (mm)	Width (mm)	Thickness (mm)	Pin Dia (mm)
HIB650SS-316NS	316 Stainless Steel	82 (41+41)	12	Inline: 16	6
HIB820SS-316NS	316 Stainless Steel	82 (41+41)	12	Offset: 16/19	6

LIFT-OFF BUTT HINGE: 40 & 50 & 60mm
HOLES & STUDS
316 STAINLESS STEEL

- See Section 11: 12

Code	Left / Right	Height (mm)	Width (mm)	Thick (mm)	Open Angle (°)	Fixing Method	Hole Centres (mm)
M-3299-4-0-001	Right	40	40 (20+20)	5	270	4xM5 Holes	25H x 25W (12.5+12.5)
M-3299-4-0-002	Left	40	40 (20+20)	5	270	4xM5Holes	25H x 25W (12.5+12.5)
M-3099-4-0-001	Right	50	50 (25+25)	6	270	4xM6 Holes	30H x 30W (15+15)
M-3099-4-0-002	Left	50	50 (25+25)	6	270	4xM6 Holes	30H x 30W (15+15)
M-3599-4-0-001	Right	60	50 (25+25)	8	270	4xM6 Holes	36H x 30W (15+15)
M-3599-4-0-002	Left	60	50 (25+25)	8	270	4xM6 Holes	36H x 30W (15+15)

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

FIXED BUTT HINGE: 38 & 40mm HOLES
316 STAINLESS STEEL

- See Section 11: 14



Code	Height (mm)	Width (mm)	Thick (mm)	Open Angle (°)	Material / Finish	Fixing Method	Hole Centres (mm)
N6-422-24	38	38(19+19)	2	270	316 S/Steel	4xM4 Holes	20H x 26W (13+13)
N6-424-24	38	58(39+19)	2	270	316 S/Steel	5xM4 Holes	Contact us
N6-444-24	38	78(39+39)	2	270	316 S/Steel	6xM4 Holes	Contact us
N6-426-24	38	78(59+19)	2	270	316 S/Steel	5xM4 Holes	Contact us
N6-446-24	38	98(59+39)	2	270	316 S/Steel	6xM4 Holes	Contact us
N6-466-24	38	118(59+59)	2	270	316 S/Steel	6xM4 Holes	Contact us

- See Section 11: 14

HIB40382

Code	Height (mm)	Width (mm)	Thick (mm)	Open Angle (°)	Material / Finish	Fixing Method	Hole Centres (mm)
HIB40382	40	38 (19+19)	2	270	316 S/Steel	4xM5 Holes	22.5H x 26W(13+13)

MARINE PRODUCTS

FIXED BUTT HINGE: 40 & 50mm HOLES
316 STAINLESS STEEL



- See Section 11: 19-20

Code	Height (mm)	Width (mm)	Thick (mm)	Open Angle (°)	Material / Finish	Fixing Method	Hole Centres (mm)
M-299-4-0-3	40	40 (20+20)	5	270	316 S/Steel	4xM5 Holes	25H x 25W (12.5+12.5)
M-099-4-0-4	50	50 (25+25)	6	270	316 S/Steel	4xM6 Holes	30H x 30W (15+15)
M-099-4-0-7	50	63 (25+38)	6	270	316 S/Steel	4xM6 Holes	30H x 43W (28+15)

DRAWER SLIDES
45KG PER DRAWER
STANDARD
201 STAINLESS STEEL

- See Section 15: 3

EARTH & NEUTRAL BARS
63 AMP 16mm² CABLE
ONE, TWO OR THREE MAIN STUDS

- See Section 20: 2-6



Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

GAS STRUTS & MOUNTING BRACKETS
316 & 303 STAINLESS STEEL

- See Section 1: 11,15,19,21,23,27

ELECTRONIC PRODUCTS

JUMP SOLAR
LITHIUM JUMP START PACKS

JUMP SOLAR
Solar Chargeable Battery Starter Pack

The Best Jump Start Battery Packs!

- Compatible with our Fold-Out Solar Panel accessory for recharging in remote locations
- Buy in Confidence with our 1 Year Warranty
- Permissable for carry-on Air Travel luggage (Less than 100Wh)

• See Section 19: 6-7

THREE MODELS FOR 12V ENGINE STARTING

Code	Engine Starting	Special Feature
JS-Q2-16V	≤6L 12V Diesel or Petrol	Wireless Phone Charge
JS20K-16V	≤6L 12V Diesel or Petrol	Robust Case, PD35W
JS-AIR-16V	≤6L 12V Diesel or Petrol	Air Compressor

24V ENGINE STARTING

Code	Engine Starting	Special Feature
JS24V-28000	24V Engines	Compact case, PD30W

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

SELECTLOK NEW ZEALAND LTD

MARINE PRODUCTS

HOOK, EYE & CARIBINER TIE OFF BRACKETS 316 STAINLESS STEEL

- See Section 13:3

Code	Base (mm)	Gap For Rope	Holes (mm)
DX316-HOOK	27 x 27	6mm H	M4 CSK
DX316-EYE	35 x 30	10mm Dia	M5 CSK
DX316-CARIBINER	36 x 30	11mm H	M4 CSK

SLIDE BOLT / TOWER BOLT 316 STAINLESS STEEL

- See Section 13:5



Code	Pin Ø (mm)	Material / Finish	Fixing
DX316-SB-90	10	316 S/steel	6xM4 Holes

NON LOCKING SLAM LATCH 316 STAINLESS STEEL

- See Section 4:14

Code	Dimensions (mm)	Thickness (mm)	Holes
DX316-SLAM	70L x 39W x 26H	316 S/steel	M4 CSK

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.

MARINE PRODUCTS

DOOR STOP & HOLD BACK
MARINE GRADE 316 STAINLESS STEEL

- See Section 13:11

DX316-DHB
Latched



DX316-DHB
Unlatched

Code	Dimensions (mm)	Description	Material
DX316-DHB	50Dia x 60L	Door hold back latch	316 S/Steel

HATCH, COVER, DOOR HOLD OPEN STAY
SPRING TENSION
316 STAINLESS STEEL



Showing open



Showing closed

Showing open

- See Section 1:49

Code	Stay Length (mm)
DX316-HS-260	260

Note: Specifications can change from time to time without notice.
Cut-outs & construction should only be done with the products onsite.